195/47-50

B CLASS

File No. 8737/3

P.W. DEPARTMENT

E BRANCH

Subject:— Territorial changes
Southern Circle ~~qwerwing~~
Continuance of the Village
water supply Sub-Division
Belgaum



File No. 8737/36-E

Ftd. Secrt. Slip. 24 A

G.P.K.—J H 3 50,000—5.54
G. R. G. D No. 2108, dated 22-6-22.]

Correspondence

Sectt 78 4 e

DOCKET SHEET (B)

Subject:—

File No. _____

_____ DEPT.

_____ BRANCH

References:—

Date.	To whom sent.	Notes instructions,

EXPRESS LETTER

From

K. P. Little, I. S. E.,
Superintending Engineer, S.C.

To

The Chief Engineer,
Public Works Department,
Poona.

No.G-108.

Public Works Department
Belgaum, 3rd June 1947.

Subject:- Opening of a new Village Water Supply Sub-Division at Belgaum.

Reference: Your letter No.961/46-E, dated the 27th May 1947.

The Belgaum Division has been entrusted with the planning and execution of all village water supply well works in about 170 villages scattered in the talukas of Belgaum (including Chandgad Mahal) Sampgaon and Khanapur. Most of these villages are situated in out of the way places some times difficult of access in highly malarious tract.

2. It is not possible to entrust well works with some extra staff to the regular permanent Sub-Divisio which are already heavy and which in addition have to execute other Post War Works. A separate and indep organisation of staff for investigation, planning an execution of well works is, therefore, quite necessa to keep to the programme of these well works which ha been assigned top priority in the Post War Schemes.

3. It may be mentioned that experience so far shown that even with an all-out all-round drive and persistant efforts, it is difficult to cope with th ardent nature of work. The progress so far made in Belgaum Division has not been as much as desired. therefore, strongly of opinion that the opening o special Village Water Supply Sub-Division will gre help in expediting the progress on these works.

4. Accordingly proposals for converting the ex temporary Emergency Irrigation Sub-Division at Bel into a new Village Water Supply Sub-Division with effect 1st October 1947 were submitted to Government thro under this office endorsement No.G-116, dated the 1 May 1947. The minimum staff proposed in this connec is as follows:-

New Village Water Supply Sub-Division, at Belgaum.

1. Deputy Engineer.
6. Overseers.
3. Sub-Divisional Clerks.
5. Maistries.
10. Karkuns.
3. Peons (including one chowkidar.).
6 Khalasis

Divisional....

Divisional Office Belgaum.

1. Deputy Engineer as P.A. to the Executive Engineer.

1. Overseer.

2. Divisional Clerks.

5. The staff proposed in para 4 above is inclusive of the following staff sanctioned for the Emergency Irrigation Scheme:-

1. Deputy Engineer.

3. Overseers.

3. Sub-Divisional Clerks

2. Divisional Clerks.

3. Peons (including Chowkidar).

Government in their letter No.7482/36-IE (I) dated the 20th May 1947(Copy enclosed) have now sanctioned the continuance of the temporary Emergency Irrigation Sub-Division together with the establishment for a further period ending 30th September 1947.

No.748

6. As it is possible to go ahead with the work of investigation and planning of well works even during the coming monsoon, proposals for conversion of the Emergency Irrigation Works Sub-Division into a Village Water Supply Sub-Division with immediate effect were made in para 4 of this office letter No.G-108, dated the 15th May 1947. The rainy season in Belgaum and Khanapur Talukas and Chandgad Mahal is not so heavy as to stop the Sub-Divisional Officer and his staff from carrying on investigations for new Village Water Supply sites. The rainfall in Sampgaon Taluka is light and even the execution work can go on during the rainy season. With this and in view I have instructed the Executive Engineer to entrust all the Village Water Supply Schemes to the Emergency Irrigation Works Sub-Division forthwith in anticipation of sanction of Government. The required temporary additional technical staff has already been employed.

7. As Government have since sanctioned the continuance of the Emergency Irrigation Works Sub-Division upto 30th September 1947 vide para 5 above, it will/converted /be into a Village Water Supply Sub-Division with effect from 1st October 1947 as originally proposed. The Mainstries and Karkuns, will, however be employed as and when actually required for execution of works.

8. Government may, therefore, please be moved immediately to sanction the opening of new Village Water Supply Sub-Division and entertainment of staff mentioned para 4 above.

VDK.

Superintending Engineer, S.C.

Copy.....

Copy submitted to Government in the Public Works Department, Bombay, for information.

****



737/36
24163.

E. B. (I)

P.W.D.

Submitted for information.

2. Further communication from the C.E., P.W.D. may be awaited.

S.A.C.
10-6-47.

~~do not want to keep it~~ ~~Nothing comes through~~

Secy. (I) ✓

~~Minister (Civil Aviation)~~

Secy. (C)

11/6/47

Minister (Civil Aviation)

13/6/47

Very Urgent.

No.961/46-E.

Office of the Chief Engineer,
Public Works Department,
Poona-1, 11th June,1947.

To

The Secretary to Government,
Public Works Department, Bombay.

-- Opening of a new Village Water Supply Sub-Division at Belgaum. --

Ref. 1-3 Reference: Superintending Engineer, Southern Circle's letter No. G.108 dated the 3rd June 1947, copy endorsed to Government.

2. In the circumstances reported by the Superintending Engineer, Southern Circle, his proposal to convert the existing Emergency Irrigation Works Sub-Division at Belgaum into Village Water Supply Sub-Division with effect from 1st October 1947 and entertainment of the staff mentioned in paragraph 4 of his letter, is recommended for sanction for the period ending February 1948, in the first instance subject to observation made in paragraph 3.

3. The posts of Maistries and Karkuns may be filled in as and when actually required and by debit to works concerned.

4. The jurisdiction of the proposed Village Water Supply Sub-Division will comprise Talukas of Belgaum (including Chandgad Mahal), Sampgaon and Khanapur with Head Quarters at Belgaum.

5. The .....

5. The action of the Superintending Engineer, Southern Circle in im ediately employing the requisite additional technical staff to go ahead with the investigation of well works in anticipation of Government sanction and pending opening of the proposed Village Water Supply Sub-Division from 1st October 1947, may kindly be approved.

D.A.Nil.

Chief Engineer,
Public Works Department.

Copy forwarded to the Superintending Engineer, Southern Circle, Belgaum.

.....

P. W. D.
8737/36
Serial No. 25274

KWA/1

7 8737/36/25274.

P. W. D.

E. B. (I).

Submitted.

2. The S.E., S.C., requests that the existing temporary Emergency Irrigation Sub-Dn. at Belgaum, should be converted into a new Village Water Supply Sub-Dn. with effect from the 1st October 1947, for the reasons stated by him in paras 1 to 3 of his letter. p.1

3. The staff required for the effecient working of the New Village Water Supply Sub-Dn. at Belgaum is as follows:- p.1

3088/-	1 Dy. Engr.	B.S.E. Cl.II scale,
12372/-	6 Overseers	S.S.E. scale,
1008	3 Sub-Dnl. Clerks	
4-6	5 Maistries	
	10 Karkuns	
1128	3 Peons (including one chowkidar)	
1764	6 Khalasis	

The S.E., also requests that the following staff may be sanctioned for the Dnl. office:- p.2

1 Dy. Engr. as P.A. to the Ex.Engr.

1 Overseer.

2 Dnl. Clerks Rs 70-5-185

4. The staff proposed in para 3 ~~overleaf~~ above is inclusive of the staff sanctioned for the Emergency Irrigation Sub-Dn. So the additional estabt. for the Sub-Dn. and Dn. will be as follows:- slip A p.20 of file No. 5854/36 EL

		Pay-Scales.
New V.W.S. Sub-Dn.		
	3 Overseers	Rs 70-5-110-10-250
	5 Maistries	30-2-50-5/2-70
	10 Karkuns	25-5/3-60
	6 Khalasis	Sanctioned rates
Dnl. Office.		
	1 Dy. Engr.	B.S.E. Class II Scale
	1 Overseer.	70-5-110-10-250

5. The C.E., P.W.D., recommends the S.E.'s proposal to convert the existing Emergency Irrigation Works..... p. 5-6

Works Sub-Dn. at Belgaum, into Village Water Supply Sub-Dn., with effect from the 1st Oct. 1947, together with the staff mentioned in para 4 of ~~his~~ the S.E.'s letter, for the period ending Feb. 1948, in the first instance, subject to the condition that the posts of Maistries and Karkuns are to be filled in as and when actually required.

It is for orders whether the S.E.'s proposal as recommended by the C.E., P.W.D., may be granted in u.o. consultation with the Health and Local Govt. and the Finance Deptts.

6. The S.E. has authorised the Ex.Engr. to entrust all the village water supply schemes to the Emergency Irrigation Works Sub-Dn. forthwith in anticipation of Govt. sanction for the reasons stated by him in para 6 of his letter. The S.E. has also employed the additional technical staff, in anticipation of Govt. sanction. It is for orders whether the S.E.'s action may be approved as recommended by the C.E.

Thro' E.B.II, A.B.II.

7. The cost of the estabt. of the proposed Subdn. may be debited to the head '39-P.H.-I-P.W.D.' and that of the estabt. proposed for the Dist. office to the head 'S.O.-Civil Estabt.(only.)'

As the annual average cost (exclusive of allces.) exceeds Rs 5,000, the proposal, in ordinary course, is required to be put up as a new item of expdr. in order to obtain the L.A's approval thereto. The estabt. may, however, be sanctioned in anticipation of the L.A's approval and the item may be brought to the L.A's notice by means of a supplementary demand.

I agree with the S.E.'s proposal, supported by the C.E., P.W.D. except that Secy (I), I donot see the necessity of both a Dy: Engr:

& an overseer in the Divisional office. I dond consider it necessary to have a Dy: Engr: merely to deal with the work of another Dy: Engr. (S.D.O.); the overseer proposed should do.

2. The staff, as recommended in ~~the~~ except the Dy: Engr: in the Divisional office may ∴, be sanctioned & the formation of the V.W.S. sub Dn allowed from 1.10.47.

3. The S.E.'s action, mentioned ~~at~~ in para 6 l/p may also be appvd:

B
26/9/47

Secy(I)
wp.

I agree with the Dy. Secy. The proposal of the S.E. is accepted by the CE PWD

regarding Mendhie, Kanboon etc, and as further rectified by the Dy. Secy. to Head Spl. staff may be approved Mendhie, Kanboon, etc should be charged to works.

Very Urgent.

20/6/47

20/6

T.O.R. to the A.L.G.D. dated x with files
F.D. 11214

No. 7482/36 (II)
&
No. 5854/36 (X).

the 21-6-47.

GENERAL DEPARTMENT
File No. P.W.D 8731/36 25274
21/23 6 47
Serial No. 3313

Hd. Q. Delhi

Seen and passed on to the [illegible]

25.6.47

A.S. (L.S.G.)

B
4-7-47

It has been proposed on these papers (i) to convert the existing temporary Emergency Irrigation sub- Dn. at Belgaum into a new Village Water Supply sub-Dn. with effect from 1st October 1947, (ii) to sanction addl. staff for the Divisional office at Belgaum and (iii) to approve the action of S.E. in Employing the addl. technical staff in anticipation of Govt. sanction.

2. The staff required in connection with the two proposals at (i) and (ii) above has been indicated below:-

New Village water supply sub-Dn. at Belgaum. (i)		Addl. Staff for the Dnl. office. (ii)	
(i) Dy. Engineer	B.S.E. Class II	(i) 1 Overseer	S.B.S.E. scale
(ii) 6 Overseers	S.S.E. scale	(ii) 2 Dnl. Clerks	
(iii) 3 Sub-Dn. Clerks			
(iv) 5 Maistries			
(v) 10 Karkuns			
(vi) 3 Peons			
(vii) 6 Khalasmies.			

Staff:- Column (i) above:- The staff indicated in column (i) above is required for investigation planning and execution of well works, which have been assigned top priority in Post-war scheme; and which cannot be entrusted to permanent sub-dns. The staff indicated above is inclusive of the ~~following~~ staff sanctioned for the Emergency Irrigation Sub-Dn. under G.L. PWI No. 5854/36-II(i) dated 20-4-45 and continued

p.t.o.

till 30-9-47 under 7482/36 II-E(I) dated 20-5-47.

1. Dy. Engineer.
3 Overseer.
3 Sub-Dvl. Clerks
3 Peons (including chowkidars).

The staff proposed seems reasonable and may be sanctioned subject to the following remarks:-

(i) Peons & Khalasies:- The nine posts (3 peons and 6 khalasies) of inferior ~~Government servants~~ appear to be excessive when it is considered that 5 posts of inferior servants only have been sanctioned in the unit for Sub-Divisional Office Establishment under G.R. P.W.D. no. 6717/36(1) dated 6th December 1944. F.D. may therefore suggest that 5 posts of inferior servants only should be sanctioned instead of 9 posts proposed.

(ii) Maistries and Karkuns:- The posts of maistries and karkuns do not appear to have been sanctioned for the unit of estabt. sanctioned for Sub-Divisional Offices under (i) G.R. P.W.D. no. 6717/36(1) dated 6-12-44 (ii) G.R. P.W.D. No. 6903/36 dated 10-6-44 & (iii) G.R. P.W.D. no. 6717/36(1) dated 28th September 1945. The necessity for these posts, which it is stated will be employed as and when required for the execution of work, does not appear to be quite clear, as ~~can~~ part of the regular establishment. The P.W.D. may therefore be requested to state whether similar posts have been sanctioned for other Sub-dns. The question of creating these posts will be examined further in F.D. after receipt of the relevant information from the P.W.D.

Column (ii) above:- Adequate justification in support creating these posts has not been given with facts and figures. The necessity for creating these posts has not seem to have been fully established. The P.W.D. may therefore be requested to drop the question or creating these posts.

Scales of Pay:- The posts the creation of which may be agreed to in F.D. will it is presumed be on the sanctioned scales of pay. The annual average cost (exclusive of allowances) involved in the creation of these posts, which are proposed to be agreed to in F.D. roughly works out to Rs. 18,750/-.

Proposal at (iii) above:- No indication as to the additional technical staff employed has been given. F.D. may however accept the P.W.D. proposal.

(B80)
19/7/47

23.7.47

D. S (FHR)

with D no 5554/36 XI
D(II) 7482/36 II

28/7

E(B) 1 (1) 26/7

P. W. D.
File No. 8737/36
Serial No. 32234

EBL
28.7.47

Copy of Executive Engineer, Belgaum Division's letter No.G-116/1, dated the 23rd June 1947, regarding Opening of a new village water supply Sub-Division at Belgaum; additional staff in connection with the.

***

"Reference;Chief Engineer, P.W.D.'s No.261/46-E, dated 11-6-47 addressed to the Secretary to Government P.W.D. Bombay copy received under your No.G-108, dated 18.6.47.

From Para 5 of the above letter, it is evident that all the additional technical staff required for investigation of well works can be appointed in anticipation of Government sanction to the proposal made in para 4 of your No.G-108, dt. 3.6.1947. Hence I request you to please post one Deputy Engineer to act as Personal Assistant to me.

2. While forwarding my proposals for technical and clerical staff for the proposed village water supply Sub-Division to the Secretary to Government P.W.D., Bombay under your No.G-116, of 1.5.1947, you had also approved the following establishment.

(1) 1 Computor in the grade of 25-2-55-3-70

(2) 1 Tracer -Do-

(3) 1 Senior accouts clerk in the grade of 95-5-115

(4) 2 Peons at Rs. 14/- P.M.

This has now been omitted please vide para 4 of your No.G-108, dated 3-6-1947 addressed to Chief Engineer, P.W.D., Poona 1. As the above staff is quite necessary pending the opening of the village water supply Sub-Division, Government may please be moved to approve the appointment of the above establishment in anticipation of their sanction to it. I am appointing the staff at S.No.1, 2 & 4 above with effect from 1-7-47 and this action may please be approved.

3. At present there are one Tracer and one Computor attached to project branch but they are borne on the workcharged establishment against " Surveying and Preparing Plans and estimates for repairs to 2nd Class tanks in the Belgaum Division". Since these works are now being transferred to the Executive Engineer, Belgaum Minor Irrigation Division, the workcharged establishment referred to above can no longer be maintained and hence the immediate necessity of appointing the same on village Water Supply Works where they are absolutely necessary.

4. A separate case is being made out for a Senior Accounts Clerk and a Typist."

P.T.O.

Copy of Executive Engineer, Belgaum Division's letter No. G-43, dated the 24th June 1947, regarding Clerical Establishment.

***

"Reference: Your No.G-43, and G-44, of 17-6-47.

2. One clerk in the grade of 95-5-~~115~~ was recommended by you for the Divisional Office Belgaum in your No.G-116, dated 1.5.47 But the provision was deleted in your No.G-108, dated 3-6-47. I request that Government may please be written to again to sanction this additional post.

3. I have made every attempt to curtail the amount of correspondence, but there are five Sub-Divisions now in the Division and the correspondence is naturally heavy enough, as work has been on the increase for some time. Two auditors - one for the Emergency Irrigation Works Sub-Division and other for Athani Construction Sub-Division have been sanctioned and both work in Accounts Branch. The correspondence branch has got one typist in addition but phone for the disposal of correspondences, which the Village Water Supply Works and the Post War Reconstruction Road Works of Athani Entail.

4. Experienced clerks of the Divisional Office have now to be sent out to Sub-Divisions and though it is true that the amalgamation of the Sub-Divisional and Divisional Offices and the creation of posts in the grade of 70-5-95 & 95-5-115 in the Sub-Divisional Offices may help to increase the efficiency of both the offices in the long run, just at present the Divisional Office is the loser to some extent, as less experienced hands have to be taken up in the Divisional Offices in place of those required to be posted to Sub-Divisions.

5. For dealing with important correspondences in the Divisional Office and establishment matters, an experienced and efficient clerk, possessing initiative, is surely required and juniors can hardly be expected to come up to the required standards. It is also certainly not fair to class the duties of the correspondence clerk of a Divisional Office, as less important and less responsible than those of the Senior Accounts Clerk of the accounts branch or those of the Senior Accounts Clerk of a heavy Sub-Division, for, if anything, they are more important as they require greater initiative.

6. It may not be out of place to mention here that Belgaum Division with all its post war activities, Village Water Supply and Scarcity Works cannot be said to be in any way less heavy than the Dharwar, Ratnagiri and Bijapur Divisions, where two posts of Sernior Accounts Clerks have been provided. In the interests of efficiency of the correspondence branch, I therefore, request that one post in the grade of Rs. 95-5-115 may please be sanctioned for the Divisional Office with immediate effect in anticipation of Government sanction.

7. X X X

8. The typist applied for in this office No.G-116, of 24-3-47 is not recommended by you. It will not be possible for the existing typists to cope up with the increased volume of work when the Post War Reconstruction roads of Athani start in full swing. One typist may therefore please be sanctioned.

Early orders are solicited."

EXPRESS LETTER.

From

R. P. Little, I. S. E.,
Superintending Engineer, S.C.

To

The Chief Engineer,
Public Works Department,
P O O N A No.1

No.G-116. Public Works Department,
Belgaum, 3rd July 1947.

Subject:- Opening of a new Village Water Supply Sub-Division at Belgaum; Extra Establishment for the -

Reference: Your letter No.961/46-E, dated the 11th June 1947 addressed to Government and copy endorsed to this office.

Proposals for the extra staff in connection with the Village Water Supply Well Works in the Belgaum Division submitted under this office No.G-116, dated the 1st May 1947 were inclusive of the following Establishment

1 Computer
1 Tracer } in the grade of 25-2-55-3-70.

1 Senior Account Clerk. " 25-5-115

2 Peons at Rs.14/- each.

2. However, these posts remained to be included in para 4 of this office letter No.G-108, dated the 3rd June 1947.

3. The Executive Engineer, Belgaum Division has represented that the above Establishment is quite necessary for the reasons mentioned at S.Nos. 3, 4, 6 and 8 of his statement No.G-116, dated the 24th April 1947 forwarded to you under this office No.G-116, dated the 1st May 1947, and requested permission to entertain the staff from 1st July 1947 in anticipation of Government sanction, vide his letter No.G-116/1, dated the 23rd June 1947 (copy attached.)

4. Provision of one extra typist was made by the Executive Engineer in the above statement but it was deleted, vide item 2 (vii) of this office endorsement No.G-116, dated the 1st May 1947. The Executive Engineer has represented the necessity of the extra typist in the grade of 70-5-95 and also the Senior Accounts Clerk for his office, vide his letter No.G-43, dated the 24th June 1947 (Copy attached)

5. In the above circumstances and in view of the urgent necessity I am permitting the Executive Engineer to employ the additional non-technical staff (in para 1 & in anticipation of Government sanction. Appointment of Personal Assistant to the Executive Engineer will however be made on receipt of Government sanction.

6. Government may kindly be moved to approve the action taken in para 5 and to sanction all the extra staff applied for appointed for in this office No.G-108, dated the 3rd June 1947 including that mentioned in paras 1 and 4 above.

7. Very early action in the matter is requested.

Accompts:-

2 Copies of letters.

Superintending Engineer, S.C.

Copy together with copies of accompaniments, forwarded with compliments, to the Secretary to Government, Public Works Department, Bombay, for information and favour of very early orders.

E.B.(II) P.W.D.

A Communication ~~The original letter~~ may be available from the Chief Engr. P.W.D. The main file has been refd. w.o. to the A.G. Delhi & H.E. Delhi on the 20-6-47.

Await.

1:7:47

14/7/47

7.7

EB (I) 5/7

5/7

P. W. D.
File No. 8737/36
Serial No. 28880

No.961/46-E.

Office of the Chief Engineer,
Public Works Department,
Poona 1, 12th July 1947.

To

The Secretary to Government,
Public Works Department,
BOMBAY.

-- Opening of a new Village Water Supply Sub-Division at Belgaum:
Extra Establishment for the --

Ref. 17 Reference:- Superintending Engineer, Southern Circle's letter No.G.116 dated the 3rd July 1947, copy endorsed to Government.

2. It is observed that the extra temporary staff now requisitioned by the Superintending Engineer, Southern Circle, is not solely for the purpose of increase in work on account of Village Water Supply schemes entrusted to the Belgaum Division but to cope up with the general alround increase in the volume of work in the Divisional office due to Post War Schemes, Scarcity and Village Water Supply works. The item of 'Village Water Supply Works' is thus one of the factors contributing to the increase in work.

3. It would, therefore, be rather difficult for this office to offer any remarks about the necessity or otherwise of the extra staff asked for by the Superintending Engineer, Southern Circle. I would, therefore, request Government to decide this question and issue the necessary orders after assessing the merits of the case by asking the Superintending Engineer,

Southern ....

Southern Circle, for any more details, if necessary.

D.A.:- Nil.

Chief Engineer,
Public Works Department.

Copy forwarded to the Superintending Engineer,
Southern Circle, Belgaum.

E.B.(I). P.W.D.

Submitted.

2. Plain papers No. 8737/36 are under w.o.q. to the H.&L. Govt Deptt, and H&LF.D. since 26-6-47. Their return may be awaited.

16-7-47.

16/7/47

H&LF.D. sjt.12.7.

E.B.(I) 15/7

P. W. D.
File No. 8737/36
Serial No. 30395

D.

8737/36
32234.

E.B.(I). P.W.D.

Submitted. ff. 11 - 13

2. The F.D.has agreed to this Deptt.'s proposals (i) to convert the existing tempy. Emergency Irrign. Sub-Dn., at Belgaum, into a new V.W.Supply Sub-Dn. with effect from the 1-10-47 (ii) to sanction addl. staff for the Dnl. Office at Belgaum and (iii) to approve the action of S.E., in employing the addl. technical staff, in anticipation of Govt. sanction. In view of this the necy. draft is put up, which may issue, if approved, after submission.

Thro' E.B.(II) & A.B.(II). ff. 19-20

G.A.C. 8.8.47.

3. It will be seen from the C.E., P.W.D.'s letter within that the addl. tempy. staff now applied for by the S.E., S.C. in ~~para (1) and 4 of~~ his letter is not only for the purpose of increase in work on account of V.W.S.Schemes entrusted to the Belgaum Dn. The S.E's letter No.G.116, dt. the 1-5-47 and its accompt. explaining the ~~necy.~~ necessity of these addl. posts, does not seem to have been recd. in this Office. The S.E. may, therefore, be requested to send a copy of the same. ff. 17-18

2nd P.
9/8 B.N. 12-8-47
11-8-47.
12

VMW. 7/8.

Secy. (4)

H. M. P.W.D.

Submitted for approval to the draft letter.

14/8/47

D.E. 12/8/47.

HM. PWD 13/8/47

Issue. 14/8/47.

No.8737/36-E(I). letter. P.W.D., B.C., 14th Aug. 1947.

To

The C.E., P.W.D.

Sub:- Opening of a new Village Water Supply Sub-dn.

Ref:- Correspondence ending with your letter No.961/46 dt. the 12-7-1947. No. 19-20

2. Sanction is accorded to your proposal to convert the Emergency Irrign. Sub-Dn., into a Village Water Supply Sub-Dn., at Belgaum, with effect from the 1st Oct. 1947, for the period ending the 29-2-48, in the first instance.

3. The following tempy. estabt. is sanctioned for the Belgaum Dnl. Office, and the V.W.Supply Sub.Dn., from the 1st Oct. 1947 to 29-2-48 :-

Belgaum Dnl. Office.

1 Overseer.	S.S.E.scale.
2 Dnl. Clerks.	Rs.70-5-95

V. W. Supply Sub-Dn., Belgaum.

	Sacles of pay.
1 Dy. Engr.	B.S.E.Cl.II scale.
6 Overseers.	S.S.E.scale.
1 Subdivisional clerk	70-5-95
2 Sub-Dnl. Clerks.	25-5/2-65.
5 Maistries.	30-2-50-5/2-70
10 Karkuns.	25-5/3-60
3 Peons (including one Chowkidar)	Sanctioned Rates.
6 Khalasis.	

The posts of Maistries and Karkuns should be filled in as and when actually reqd, their cost being debited to works concerned. The above staff is inclusive of the staff sanctioned for the Emergency Irrign. Sub-Dn., under G.L.No.5854/36-E(I), dt. the 20-4-45, and continued upto the 30-9-47, under No. 7485/36-E(I), dt. the 20-5-47.

slip A f.20 of file No. 5854/36 XI

slip B f.76 of file No. 7482/36 II

f. 2

4. The S.E., S.C's action in employing the requisite addl. tempy. technical staff, to go ahead with the investigation of well works, in anticipation of Govt. sanction.....

sanction, and pending the opening of the V.W.Supply Sub-Dn. from the 1st Oct. 1947, is approved.

5. ~~Your~~ The S.E., S.C.,'s letter No.G.116, dt. the 1-5-47, and its accompt. explaining the necessity of the addl. tempy. posts now applied for in ~~your above quoted letter~~ his letter No. G.110 dt. the 3-7-47 pp. 17-18 does not seem to have been recd. in this Office. A copy of the same may be sent now.

6. The cost of the estabt. sanctioned for the Dnl. Office should be debited to the head '50-C.W.', and that for the Sub.-Dn. to the head '39-P.H.-F-P.W.R.& D.P.-V.W.S.' The expdtr. involved during the current year should not be met from the savings, if any, in the grants at the disposal of the S.E., S.C., but negy. funds should pl. be applied for specifically (according to primary and secondary units) early in Feb. 1948.

By order etc.,

D.A.-Nil.

pp 1-3

Copy, with a copy of the S.E.,S.C.'s letter No.G.108, dt. the 3-6-47, forwarded to -

Orders issued after consultation with the F.D.,
the H.& L.G. Deptt.,
the A.G., Bombay (thro' the F.D.),

for information.

Orders issued after consultation with H.and L.G.D. & F.D. Government. Notes remain with ... to be seen ...

Copy forwarded to-

the S.E., S.C.,
the Ex.Engr., Belgaum Dn.,

for information.

VMW. 7/8/47.

S.A.C. 8.8.47

MM. 11/8(4)

Secy. (F)

Letter.

No.8737/36-E(I). Public Works Department,
Bombay Castle, 14th August 1947.

To

The Chief Engineer,
Public Works Department.

Subject:- Opening of a new Village Water Supply Sub-division.

.....

Reference: Correspondence ending with your letter No.961/46-E, dated the 12th July 1947.

2. Sanction is accorded to your proposal to convert the Emergency Irrigation Sub-Division into a Village Water Supply Sub-Division, at Belgaum, with effect from the 1st October 1947, for the period ending the 29th February 1948, in the first instance.

3. The following temporary establishment is sanctioned for the Belgaum Divisional Office, and the Village Water Supply Sub-Division, from the 1st October 1947, to 29th February 1948:-

Belgaum Divisional Office.

1	Overseer.	Subordinate Service of Engineers scale.
2	Divisional Clerks.	Rs.70-5-95

Village Water Supply Sub-Division, Belgaum.

		Scales of pay.
1	Deputy Engineer.	Bombay Service of Engineer Class II scale.
6	Overseers.	Subordinate Service of Engineers scale.
1	Sub-divisional clerk.	70-5-95
2	Sub-Divisional Clerks.	25-5/2-65.
5	Maistries.	50-2-50-5/2-70
10	Karkuns.	25-5/3-60
5	Peons (including one Chowkidar)	Sanctioned Rates.
6	Khalasis.	

The posts of Maistries and Karkuns should be filled in as and when actually required, their cost being debited to works. The above staff is inclusive of the staff sanctioned for the Emergency Irrigation Sub-Division under Government Letter No.5854/36-E(I), dated the 20th April 1945, and continued upto the 30th September 1947, under 7485/36-E(I), dated the 20th May 1947.

4. The Superintending Engineer, Southern Circle's action in employing the requisite additional temporary technical staff, to go ahead with the investigation of well works, in anticipation of Government sanction, and pending the opening of the Village Water Supply Sub-Division from the 1st October 1947, is approved.

5. The Superintending Engineer, Southern Circle's letter No.G.116, dated the 1st May 1947, and its accompaniment explaining the necessity of the additional temporary posts now applied for in his letter No.G.116, dated the 3rd July 1947 do not seem to have been received in this Office. A copy of the same may be sent now.

6. The cost of the establishment sanctioned for the Divisional Office should be debited to the head '50-Civil Works', and that for the Sub-Division to the head '39-Public Health-F-Post War Reconstruction and Development Programme- Village Water Supply'. The expenditure involved during the current year should not be met from the savings, if any, in the grants at the disposal of the Superintending Engineer, Southern Circle, but necessary funds should ~~be~~ please be applied for specifically ~~in~~d(according to primary and secondary units) early in February 1948.

By order of the Governor of Bombay,

16/8/47

for Secretary to the Government of Bombay,
Public Works Department.

Copy, with a copy of the Superintending Engineer, Southern Circle's letter No.G.108, dated the 3rd June 1947, forwarded to -

the Finance Department,
the Health and Local Government Department,
the Accountant General, Bombay(through the Finance Department),

for information.

Copy forwarded to -

the Superintending Engineer, Southern Circle,
the Executive Engineer, Belgaum Division,

for information.

ISSUED
on 16/8/47 KV.

Orders issued after consultation with H.D. L.G. & F. Department.
Notes remain [illegible] and can be seen [illegible]

Statement showing details of justification for the sanction of the temporary establishment (due to the inclusion ? Athani Construction Sub-Division, Athani, from the Road Projects Division) required in the Divisional Office and temporary establishment required due to the conversion of Emergency Irrigation Works Sub-Division into village water supply Sub-Division at Khanapur in addition to the staff sanctioned for Emergency Irrigation Works Sub-Division Belgaum immediately.

S.No.	Designation and No. of posts.	Sanctioned pay scales.	Full justification for the sanction of the posts and the period for which they are required.
1	2	3	4
	One Deputy Engineer to act as personal assistant to the Executive Engineer Belgaum Division.	Bombay Service of Engineers Class II	STAFF REQUIRED FOR DIVISIONAL OFFICE. Due to the inclusion of the Athani Construction Sub-Division from the Road Projects Division recently (from 20-2-47), Village Water Supply Schemes, (Well works), Investigation of Minor Irrigation Schemes and Post War Reconstruction works, there is practically no time for the Executive Engineer to go through all the Projects pertaining to the above without the help of a Personal Assistant. These heavy programmes in the Belgaum Division as they stand at present, cannot be dragged on single handed and hence the help of a P.A. is quite essential.
2	Two Overseers	Sub-Ordinate Service of Engineers.	The Projects work has increased and it is beyond the capacity of a Project Overseer to cope up with the increased work pertaining as it does investigation of Minor Irrigation Schemes and well works, which have been assigned topmost priority in addition to revision of estimates pertaining to Emergency Irrigation Works. At present the Project Overseer is burdened with so much work that it is not possible for him to carry on the work work without the help of at least 2 more overseers in Project Branch.
3	One Computor	25-2-55-3-70	The services of one Computor are quite essential to help the overseers in Arithmatical calculations of the estimates which will otherwise take a good deal of the valuable time of the overseers. The appointment of a computor will add to the effeciency of the Project Branch.
4	One Tracer.	25-2-55-3-70	At present there are two tracers. One on the temporary establishment working in the Drawing Branch and the other on the work-charged establishment working in the Project Branch. It will not be possible for these two tracers to carry on the heavy tracing work in connection with Village Water Supply, Post and Minor Irrigation works as stated above and hence the help of an additional tracer is considered quite essential.

5	Additional Accountant	80-8-200-25/4-225	Owning to the increase of a number of original works, Post War Road and well works and due to entertainment of additional establishment, it is not possible for one Accountant to manage the increased work. The appointment of one additional Accountant is essential.(This is important and essential from the view point of Government interest in minimising audit irregularities)
6	One Senior Account Clerk.	95-6-115	Owing to the developments as detailed above, the correspondence has naturally increased abonormally and the Head Clerk alone single handed cannot manage and go through all the correspondence work which has increased considerably due to the increased number of Sub-Divisions and the works and the help of Senior Accounts Clerk to the Head Clerk is quite essential.
7	One Typist.	70-5-95	Due to the increase in work on all sides the typing work also has enormously increased with the result that the services of one more good typist are quite essential.
8	Two Peons.	14/-	One peon for the Personal Assistant to the Executive Engineer and one for the office establishment that will be appointed as detailed above.

STAFF REQUIRED FOR VILLAGE WATER SUPPLY WORKS IN THE SUB DIVISION.

1	Five Overseers	Subordinate service of Engineers	It is expected that nearly 170 well works each costing about Rs. 6000/- will have to be executed in the Belgaum, Khanapur and Sampgaon Talukas and one Mahal, Chandgad of this District, allotted to this Division. It will be a programme of five years in the first instance with an expenditure of about 8 Lacks. Since (Village water supply) well works are taken in hand and are to be pushed through vigorously all the establishment now enumerated in this statement is quite essential. At present Village Water Supply works are being distributed for exedution amongst the three existing Sub-Divisions viz. B & R Belgaum, Belgaum Irrigation and Emergency Irrigation Works Sub-Divisions to push on with Village Water Supply Works unless additional staff is allotted to them and hence Government may please be moved to sanction the additiona staff immediately.
2	Seven mainstries	30-2-50-E.B.5/2-70	
3	Fourteen Mustering Karkuns.	20-2/2-40.	
4	Eight Khalasies.	13/-	

Sd/- at Belgaum. Do
not possible for one

2. After the closer of the Emergency Irrigation Works Sub-Division on :- 30-9-47 A.N. the whole Sub=Divisional staff at present against that Sub-Division sanctioned under Government Letter, P.W.D., No.5854/36-E(I), date the 20th April 1945; will be available for the village water supply Sub-Divisi n to be opened on 1-10-1947. That staff will be in addition to the staff now included in this statement.

3. If after the closer of the Emergecy Irrigation works Sub-Division, Belgaum, any works remaining to be completed, separate sanction for the extra establishment required will be applied for in due course.

4. All the temporary posts proposed in this statement are quite essential for a period of 2 years in the first instance.

3

No.G-116.

Executive Engineer's Office.
Belgaum, 24th April 1947.

Forwarded, with compliments, (in duplicate) to the Superintending Engineer, Southern Circle, for favour of further disposal with reference to his express letter No.G-116, dated 16th April 1947.

Sd/- x x
for Executive Engineer, B. Dn.,

Below Executive Engineer, Belgaum Division's No. ..
No.G-116, dated 24th April 1947 regarding additional Temporary staff required for the Divisional Office and for the proposed village water supply Sub-Division in the Belgaum Division.

No.G-116. Public Works Department,
Belgaum, 1st May 1947.

Forwarded, with compliments, to the Secretary to Government, Public Works Department, Bombay, with reference to para 5 of this office endorsement No. M.I.1, dated the 29th March 1947.

2. All the extra establishment, with the exception of the following, proposed by the Executive Engineer is considered essential for the speedy execution of the village water supply Post War construction etc., in the Belgaum Division and is recommended.

Proposed by the Executive Engineer.	Recommended by the Superintending Engineer.
(i) Two overseers for the Divisional Office.	One overseer for the Divisional Office.
(ii) Five Overseers for Village Water Supply Works.	Three overseers for Village Water Supply works
(iii) Eight Khalasis	Six khalasis.
(iv) One Accountant (Additional)	Nil
(v) Seven maistries	Five mainstries.
(vi) Fourteen karkuns.	Ten karkuns.
(vii) One typist	Nil

3. The temporary establishment now recommended is in addition to the following sanctioned for the Emergency Irrigation Sub-Division, Belgaum proposed to be converted into village water supply Sub-Division, vide Government Letter No. 7482/36-E(I), dated 24th April 1946.

1 Sub-Divisional Officer.

3 Overseers.

3 Sub-Divisional Clerks in the scale of 25-5/2-65.

2 Divisional Clerks in the scale of 7055-95.

(1 typist and other audit clerk).

2 Peons and 1 chowkidar.

4. The extra establishment will be appointed only as and when necessary.

5. It is requested that Government may, in his concurrence, kindly be moved to accord sanction to...

.....

EXPRESS LETTER.

From

E. P. Little, I. S. E.,
Superintending Engineer, S.C

To

The Chief Engineer,
Public Works Department,
P O O N A : 1.

No.G-116. Public Works Department
Belgaum, 21st August 19

Subject:- Opening of a new Village Water Supply Sub-Division at Belgaum.

No. 23 - 24

Reference: G.L.(P.W.D.) No.8737, dated the 14th August 1947 addressed to you and copy to this office.

In the above Government Letter the following extra temporary staff recommended and employed in anticipation of Government sanction, vide this office letter No.G-116, dated the 3rd July 1947, has not been sanctioned by Government.

1 Computor
1 Tracer } in the grade of 25-2-55-3-70.

1 Senior Accounts Clerk. " " 95-5-115.

2 Peons at Rs. 14/- each.

1 Typist in the grade of 70-5-95.

2. The post of the Personal Assistant to the Executive Engineer, Belgaum Division recommended in this office letter No.G-108, dated the 3rd June 1947 has not also been sanctioned.

3. The necessity for all the extra establishment mentioned above has fully been explained in this office references quoted above and also in the statement forwarded under this office No.G-116, dated the 1st May 1947, and cannot be ~~ever~~ more emphasised ~~any further~~.

4. I would, therefore, request that Government may kindly be moved to accord sanction to the entertainment of the above staff, and also to approve of the action in appointing the extra ~~staff~~ as mentioned in para 1 -

above in anticipation of Government sanction.

Very early action in the matter is requested.

5. Para 6 of the Government Letter under reply has bee noted and the Executive Engineer instructed to apply for funds accordingly.

VDK.

Superintending Engineer, S.C.

Copy forwarded, with compliments, to the Secretary to Government, Public Works Department, Bombay, for favour of very early sanction to the entertainment of the above extra staff. A copy of this office endorsement No.G-116, dated the 1st May referred to in para 5 of the Government letter is enclosed for reference.

P. W. D.
File No. 8737
Serial No. 3606

(i) the establishment now proposed for a period of two years, in the first instance, from 1-3-47 as some of the existing staff has already been employed on village water supply works

nd

(ii) the conversion of the Emergency Irrigation Sub-Division, Belgaum into village water supply Sub-Division from 1-10-47 as the former is to continue upto 30-9-47.

Provision for pay, allowances etc, for the staff be made in the Revised Budget estimates for 1947-48.

Very early orders are requested.

Sd/- E. P. Little,
Superintending Engineer, +S.C.

Through:-

The Chief Engineer, P.W.D., Poona
with compliments.

Statement showing details of justification for the sanction of the temporary establishment (due to the inclusion of Athani Construction Sub-Division Athani, from the Road Projects Division) required in the Divisional Office and temporary establishment required due to the conversion of Emergency Irrigation Works Sub-Division into Village Water Supply Sub-Division at Khanapur in addition to the staff sanctioned for the Emergency Irrigation Works Sub-Division Belgaum immediately.

S.No.	Designation and No. of posts.	Sanctioned pay scales.	Full justification for the sanction of the posts and the period for which they are required.
1.	One Deputy Engineer to act as personal assistant to the Executive Engineer Belgaum Division.	Bombay service of Engineers Class II	STAFF REQUIRED FOR DIVISIONAL OFFICE. Due to the inclusion of the Athani Construction Sub-Division from the Road Projects Division recently (from 20-2-47), Village Water Supply schemes, (well works), Investigation of Minor Irrigation schemes and Post War Reconstruction Works, there is practically no time for the Executive Engineer to go through all the Projects pertaining to the above without the help of a Personal Assistant. These heavy programmes in the Belgaum Division as they stand at present, cannot be dragged on single handed and hence the help of a P.A. is quite essential.
2.	Two Overseers	Sub-ordinate Service of Engineers.	The Projects work has increased and it is beyond the capacity of a Project Overseer to cope up with the increased work pertaining as it doe investigation of Minor Irrigation schemes and well works, which have been assigned topmost priority in addition to revesion of estimates partaining to Emergency Irrigation Works. At present the Project Overseer is burdened with so much work that it is not possible for him to carry on the work without the help of at least 2 more overseers in Project Branch.
3.	One Computor	25-2-55-3-70	The services of one Computor are quite essential to help the overseers in Arithmatical calculations of the estimates which will otherwise take a good deal of the valuable time of the Overseers. The appointment of a computor will add to the effeciency of the Project Branch.
4.	One tracer	25-2-55-3-70	At present there are two tracers. One on the temporary establishment working in the Drawing Branch and the other on the work-charged establishment working in the Project Branch. It will not be possible for these two tracers to carry on the heavy tracing work in connection with Village Water Supply, Post War and Minor Irrigation Works as stated above and hence the help of an additional tracer is considered quite essential.

5.	Additional Accountant	80-8-200-25/4-225	Owing to the increase of a number of original works, Post War Road and well works and due to entertainment of additional establishment, it is not possible for one Accountant to manage the increased work. The Appointment of one additional Accountant is essential. (This is important and essential from the view point of Government interest inminimising audit irregularities)
6.	One Senior Account Clerk	95-5-115	Owing to the developments as detailed above, the correspondence has naturally increased abnormally and the Head Clerk alone single handed cannot manage and go through all the correspondence work has increased considerably due to the increased number of Sub-Divisions and the works and the help of a Senior Accounts Clerk to the Head Clerk is quite essential.
7.	One Typist	70-5-95	Due to the increase in work on all sides the typing work also has enormously increased with the result that the services of one more good typist are quite essential.
8.	Two Peons	14/-	One peon for the Personal Assistant to the Executive Engineer and one for the office establishment that will be appointed as detailed above.

STAFF REQUIRED FOR VILLAGE WATER SUPPLY WORKS IN THE SUB-DIVISION.

1.	Five Overseers	Subordinate Service of Engineers 30-2-50 E.B.5/2-7 20-2/3-40	It is expected that nearly 170 well works each costing about Rs. 5000/- will have to be executed in the Belgaum, Khanapur and Sampgaon Talukas and one Mahal, Chandgad of this District, allotted to this Division. It will be a programme of five years in the first instance with an expenditure of about 8 Lacks. Since (Village Water Supply), Well works are taken in hand and are to be pushed through vigorously all the establishment now enumerated in this tatement is quite essential. At present Village Water Supply works are being distributed for execution amongst the three existing Sub-Divisions viz; B & R Belgaum, Belgaum Irrigation and Emergency Irrigation Works Sub-Division, situated at Belgaum. It is not possible for these three Sub-Divisions to push on with the Village Water Supply works unless additional staff is allotted to them and hence Government may please be moved to sanction the additional staff immediately.
2	Seven Maistries		
3	Fourteen Mistering Karkuns.		
4	Eight Khalasies		

13/-

P.T.O.

2. After the closer of the Emergency Irrigation Works Sub-Division on 30-9-47 A.N. the whole Sub-Divisional staff at present against that Sub-Division sanctioned under Govt letter PWD No. 5854/36-E (I) of 20-4-45 will be available for the Village Water Supply Sub-Division to be opened on 1-10-1947. That staff will be in addition to the staff now inlcued in this statement.

3. If after the closer of the Emergency Irrigation Works Sub-Division, Belgaum, any works remaining to be completed, separate sanction for the extra establishement required will be applied for in due course.

4. All the temporary posts proposed in this statement are quite essential for a period of 2 years in the first instance.

No. G-116

Executive Engineer's Office,
Belgaum 24th April 1947.

Forwarded, with compliments (in triplicate) to the Superintending Engineer, Southern Circle, Belgaum, for favour of further disposal with reference to his express letter No. G-116 dated 16-4-1947.

Executive Engineer,
Belgaum Division.

GDN/-24.4.47.

Pp. 38-40

Below Executive Engineer, Belgaum Division's No.G-116, dated 24th April 1947, regarding additional Temporary Staff required for the Divisional Office and for the proposed Village Water Supply Sub-Divisio in the Belgaum Division.

No.G-116. Public Works Department,
Belgaum, 1st ~~April~~ May 1947.

Forwarded with compliments to the Secretary to Government, Public Works Department, Bombay, with reference to paragraph 5 of this office endorsement No.M.I.1, dated 29th March 1947.

2. All the extra establishment, with the exception of the following, proposed by the Executive Engineer is considered essential for the speedy execution of the Village Water Supply, Post War Construction etc. in the Belgaum Division and is recommended.

Proposed by the Executive Engineer.	Recommended by the Superintending Engineer.
(i) Two overseers for the Divisional office.	One overseer for the Divisional office.
(ii) Five overseers for Village Water Supply Works.	Three overseers for Village Water Supply Works.
(iii) Eight K	x Khalasis.
(iv) One Acc... (Additional).	...1
(v) Seven maistries.	Five maistries.
(vi) Fourteen Karkuns.	Ten Karkuns.
(vii) One typist.	Nil.

3. The Temporary Establishment now recommended in addition to the following sanctioned for the Emergency, Irrigation Sub-Division, Belgaum, propc to be converted into Village Water Supply Sub-Divisio vide Government letter No. 7482/36-E(I), dated 24th April 1946.

1 Sub-Divisional Officer
3 Overseers
3 Sub-Divisional Clerks in the scale of 25-5/2-65.
2 ~~Divisional clerks in the~~ scale of 70-5-95. (1 typist and the other audit clerk)
2 Peons and 1 Chawkidar.

4. The extra establishment will be appointed only as and when necessary.

5. It is requested that Government may, in his concurrence, kindly be moved to accord sanction to -

(i) the establishment now proposed for a period of two years, in the first instance, from 1st March 1947 as some of the existing staff has already been employed on Village Water Supply Works

(11) the conversion of the Emergency Irrigation Sub-Division, Belgaum into Village Water Supply Sub-Division from 1st October 1947 as the former is to continue upto 30th September 1947.

6. Provision for pay, allowances etc. for the staff will be made in the Revised Budget estimates for 1947-48.

Very early orders are requested.

Superintending Engineer, S.C.

SBK.

Through:

The Chief Engineer, Public Works Department, Poona, with compliments.

E-B. 3-8-47

961/46.

6927

No.961/46-E.

Office of the Chief Engineer,
Public Works Department,
Poona 1, 22nd August 1947.

To

The Secretary to Government,
Public Works Department,
Bombay.

-- Opening of a new Village Water Supply Sub-Division at Belgaum --

Ref.23. Reference:- Government Letter, Public Works Department, No.8737/36-E(I) dated the 14th August 1947.

2. 41 A copy of the Superintending Engineer, Southern Circle's memorandum No.G.116 dated the 1st May 1947 and its accompaniment are forwarded herewith. This letter has since been modified by the Superintending Engineer, Southern Circle's letter No.G.108 dated the 3rd June 1947. Ref. 1-3

D.A.:- Copies of communications referred to.

for Chief Engineer,
Public Works Department.

C.B Copy forwarded to the Superintending Engineer. Southern Circle, Belgaum for information.

2. Attention is invited to para 6 of the Government letter referred to above and he is requested to apply for the requisite funds from Government, through this office in February 1948, as directed therein.


P. W. D.
File No. 8737/36
Serial No. 36507

No.961/46-E.

Office of the Chief Engineer,
Public Works Department,
Poona 1, 28th August 1947.

To

The Secretary to Government,
Public Works Department,
BOMBAY.

-- Opening of a new Village Water Supply Sub-Division at Belgaum --

No.35 36 Reference:- Superintending Engineer, Southern Circle's Express Letter No.G.116 dated the 21st August 1947, copy endorsed to Government.

2. As regards the extra temporary establishment referred to in para 1 of the Superintending Engineer, Southern Circle's letter referred to above, I have already expressed my views in this office letter No.961/46-E dated the 12th July 1947 on which Government orders are awaited. 1.19

3. The post of a Personal Assistant to the Executive Engineer, Belgaum Division was, among other staff, recommended to Government in this office letter No.961/46-E dated the 11th June 1947 but has not been sanctioned in Government Letter No.8737/36-E(I) dated the 14th August 1947. 11.5-6 11.23.29

D.A.:- Nil.

for Chief Engineer,
Public Works Department.

Copy .....

Copy to the Superintending Engineer, Southern Circle, Belgaum.



8737/36
37449.

P.W.D.

E.B.(I).

pp.23-24

Submitted with ref. to G.O. No. 8737/36-E(I),8 dt. 14-8-1947. p.35 p.45

2. The S.E.,S.C., and the C.E.,P.W.D., state that Govt.has not sanctioned the post of P.A.to the Ex. Engr.,Belgaum Dn., as proposed and recommended by them respectively. The post was not sanctioned because of the D.S's note dated the 20-6-47 agreed to by Secy.(I). p.2 p.5 pp.8-7 p.7 p.38

In this connection attention is invited to item 1 of the statement in which the Ex.Engr.has given the reasons as to why he requires the post of ~~the~~ P.A.to be sanctioned. The S.E.agrees with his proposal. p.41

3. In view of this it is for orders whether the S.E. may be informed that his request for the post of a P.A. for his Dnl.office cannot be granted, or whether the proposal may be ~~recommended~~ reconsidered, in which case the papers will be refd.to the F.D.

VBK.
5-9-47.

S.A.C. 5-9-47.

Thro' F. B. II. p.35

4. The S.E.,S.C., has also asked for the following additional subordinate staff which, he says, was inadvertently omitted when he last applied for staff:

D. S.

1 Computor	}	Scale.
1 Tracer.	}	Rs.25-2-55-3-70.
1 Senior Accounts Clerk.		Rs.95-5-115.
1 Typist.		Rs.70-5-95.
2 Peons.		Rs.14/-

All the above staff is reqd.for the Dnl.office and has already been engaged in anticipation of Govt. sanction. The necessity for this staff has been explained in col.4 against items.3,4,6,7 and 8 of the statement at pp.38-39. The C.E.,P.W.D., has not offered any remarks re: this staff since it is not reqd.for V.W.S.Schemes alone. The S.E.has stated that the employment of the additional staff has been necessitated by the all round increase in work due to several Post War Schemes and Scarcity works apart from V.W.S. Schemes. It is

for...

for consideration whether the additional staff may/sanctioned in u.o.consultation with the F.D..

5. As regards the two posts of peons, one of them is reqd. or the P.A.to the Ex.Engr. and may be sanctioned only if he P.A's post is to be sanctioned.

6. The action of the S.E.in employing the staff in anticipation of Govt. sanction may also be approved

Pllc 11-9-47

VBK.
11-9-47.

There is a mix-up in the refers: now received. It is only the letter at p: 35 which needs consdn. in the context of S.E.'s previous letter at p: 1 & at p: 25.

2: Out of the staff, mentioned at p: 35 & repeated on the l/p, I accept the necessity of 1 computor, 1 tracer, 1 typist & 2 peons at the sanctd: scales of pay. [as distinct from those recommended by the S.E.] D.S.

We have sanctd: 2 divisional clerks - p: 35. & one of them could be an a/cs clerk required by the S.E. ; I doubt if, support a separate a/cs clerk besides the two already sanctd.

3. As re. S.E's para 2 at p: 35 ante, we have given an overseer for the purpose. I donot recommend any further appointment.

4. Referring to para 4 at p: 35, the S.E. should not, I submit, have anticipated approval. We shd:, however, now accord sanction to the staff as appointed & upto the date of receipt of the l/orders (to be issued) by the S.E. & thereafter to the staff as per para 2 above & upto 24/2/48

The S.E. to apply for funds accdgly:

KB
12-9-47.

I agree. The S.E. should not have appointed the staff as he did not receive sanction. OMM 13/9/47

to the F.D. dated 15-9-47

Secy(I)
15-9-47
31

Finance Department.P.W.R.

Submitted with reference to this offi
note dated 21.7.47 and D.S.(F.&.R.)'s mar
remarks.

2. It has been proposed on these papers(i
to accord sanction to the marginally noted
staff appointed by the S.E.,P.C. in antici
tion of Govt.sanction upto the date of rec
of the orders to be issued, and thereafter, (i
to appoint the staff consisting of 1 Comput
1 Tracer, 1 Typist and two peons on the
sanctioned scales of pay till 29.2.48.Both
the proposals made by D.S.;P.W.D. appear to
be reasonable and may be accepted.

1 Computor.)Rs.25-2-55-3-70
1 Tracer.)

1 Sr.Acctt. clerks. Rs.95-5-115.

1 Typist. Rs.70-5-95.

2 Peons.Rs.14/-each.

3. The annual average cost (exclusive of
allowances) involved in the creation of these
posts roughly works out to Rs.2,520/-

[illegible]
[illegible]
[illegible]

No.G-116

Executive Engineer's Office,
Belgaum: 9th October 1947.

24 Government in their letter in the Public Works Department No. 8737/36-E(I), dated the 14th August 1947, having sanctioned the conversion of the Emergency Irrigation Works Sub-Division into Village Water Supply Sub-Division, the Deputy Engineer, in charge of the Emergency Irrigation Works Sub-Division Belgaum should with effect from 1-10-1947 be designated as Deputy Engineer in charge Village Water Supply Sub-Division Belgaum.

B. I. Chaum.

SDN/-6.10.

To

Executive Engineer,
Belgaum Division.

7/10

The Secretary to Government P.W.D. Bombay. with compliments

Ind. J 16/10

13611/4/10

Dnd 4/10

P. W. D.

File No. 8737/36

Serial No. 43579

Letter

From

E.P.Little,I.S.E.,
Superintending Engineer, S.C.

To

The Secretary to Government,
Public Works Department,BOMBAY.

No.G-116.

Public Works Department,
Belgaum, 16th October 1947.

Subject:-Opening of a new Village Water Supply Sub-Division at Belgaum.

Reference:-This Office letter No.G-116, dated 21st August 1947 addressed to Chief Engineer,P.W.D.Poona and copy to Government and Chief Engineer,P.W.D.Poona's letter No 961/46 E dated 28th August 1947 addressed to Government.

Very early sanction to the extra temporary staff mentioned in paras 1 and 2 of this office letter referred to above is requested..

2. The Belgaum Division has at present five Sub-Divisions and with a heavy programme of Post War road works, Village Water Supply schemes, the work both office and outdoor has enormously increased and is -

and is increasing day by day. The necessity of a Personal Assistant is keenly felt by the Executive Engineer, Belgaum Division for the efficient and prompt disposal of the work. Appointment of a Personal Assistant to the Executive Engineer is considered absolutely necessary and may kindly be sanctioned very early.

Superintending Engineer, S.C.

Jag.15.10.

Copy forwarded with compliments, to -

the Executive Engineer, Belgaum Dn., with reference to his letter No. G-116, dated the 12th October 1947.

....

P. W. D.
File No. 8737/36
Serial No. 44671

8737/36/40796

P. W. D.

E.B.(I).

pp 47-48

Submitted with ref.to the O.N. dated the 11-9-47.

2. Pl. see the notes recorded at pp.48-49 ante. In view of para.3 of the Dy.Secy's note dated the 12-9-47, approved by the late Secy.(I), the question of appointing a P.A. to the Ex.Engr.,Belgaum Dn., may be dropped. The S.E.,S.C., need not perhaps be informed to that effect.

23-10-47

Encl. E.B. II & A.B. II. pp 57-58

3. The necessary draft orders are put up for approval.

27.10.47

28

Secy.(I) 28/10/47

H.M., H.M.P.W.D. 29/10/47

Issue 30/10/47

To S.B.(II) 30/10/47

Letter.

No.8737/36-E(II). P. W. D.,

B.C., 31st Oct.1947.

To

The S.E.,S.C.

Sub: Opening of a new Village Water Supply Sub Dn. at Belgaum.

---

p 53

Ref: Corres. ending with your letter No.G.116, dated the 16-10-47.

2. Your action in employing the following additional temporary staff for the Belgaum Divisional Office in anticipation of Govt. sanction ~~and pending the opening of the Village Water Supply Sub Dn.~~ is approved from the date of their appointment upto the date of receipt by you of these orders -

	Scale of pay.
1 Computor) 1 Tracer)	Rs. 25-2-55-3-70.
1 Senior Accounts Clerk.	95-5-115.
1 Typist.	70-5-95.
2 Peons.	14/- each.

3. Out of the staff mentioned in para.2 above, the following only should be continued upto the 29-2-48 on the scale of pay shown against them-

	Scale of pay. Rs.
1 Computor) 1 Tracer)	25-2-55-3-70.
1 Typist.	25-5/2-50-E.B.5/2-65
2 Peons.	14/- each.

4. The continuance of the two posts of peons in accordance with the orders in para.3 above, is subject to the condition that the scale laid down for peons in the new Rates of Pay Rules is not exceeded.

5. The cost of the establishment should be debited to the head "50-C.W." and the necessary application for allotment of funds to meet the

expenditure involved during the current year should be submitted to Govt. early in Feb.1948- vide para.6 p.27. of G.L.No.8737/36-E(I), dated the 14-8-47.

6. You should not in future anticipate Govt. sanction to the employment of any additional estabt.

By order of the G.of B. D.A:Nil.

Copy forwarded to -

the F.D.
ıe H.& L.G.D.
ıe A.G.,Bombay (thro' the F.D.)
ıe Ex.Engr.,Belgaum Dn., with a request to take the necy. action at once in accordance with the orders contained in paras.2 to 4 of the above G.L.

for information, with ref.to G.E.No.8737/36-E(1), p.27 dated the 14-8-47.

Ossgd 31/X

Orders [illegible] with Finance Department.
Note [illegible]
be s[illegible]

27.10.47

28/10/47

See (1)

VP 27/10/47

31/10

25-10-47

1942

Statement showing the full details of justification for the continuance of the Temporary Establishment sanctioned for the Belgaum Division during the year 1948-49 as required by G.C.M. (P.W.D.) No.[illegible] P.190, dated the 7th January 1948

***

.No.	Name and Designation of the Posts	Sanctioned pay scales.	No. and date of latest Government orders sanctioning the posts.	Full justification for the continuance of the posts and the periods which they are required.
	For Belgaum Village Water Supply Sub-Division			
1	Deputy Engineer.	B.S.E.,Class II	Government (P.W.D.) Letter No.8737/36-E(I), dated the 14th August 1947.	This Sub-Division has to deal with in all 157 well work in the 3 Talukas and 1 Mahal. The preparation of plans and estimates of 58 wells has so far been completed. Of these about 43 estimates have been administratively approved. The well works will be in progress during the year 1948-49. In addition to this the Rural Development Board has suggested 45 new wells for investigation and construction during the next financial year. Thus there will be in all about 100 well works in progress, next year. Since Government have given top most priority for well works in the Post War Schemes, it is considered essential that the Sub-Divisi together with the Temporary Establishment therefore should be be continued at least for a further period of 2 to 3 years more It is, therefore, requested that Government may kindly be moved to accord sanction to the continuance of the Sub-Division together with the Temporary Establishment therefor for a further period of one year upto 28th February 1949.
2	Six Overseers.	70-5-110-10-180-10-250		
3	One Clerk.	7-5-95		
4	Two Clerks.	25-5/2-65		
5	Six Khalasis.	Rs. 14/- P.M. each		
6	Three peons.	Rs. 14/- P.M. each		
	Five Maistries	Rs.30-2-50-5/2-70.		
	Ten Karkuns.	Rs.20-2/2-40		
	For Divisional [illegible]tics, Belgaum			
	[illegible]verseer.	70-5-110-10-180-10-250.		As regards the continuance of the Temporary Establishment sanctioned for the Divisional Office, Belgaum Division, it is, brought to the notice of Government that there is general increase in work both in the correspondence as well as in the accounts branch due to conversion of workcharged posts into permanent and temporary ; temporary into permanent ones and hence the existing staff is not in a position to cope up with the

10	Two Clerks	70-5-95	Government P.W.D., Letter No. 8737/36-E (II), dated the 21st October 1947.	additional extra work involved on account of village water supply works. The services of two clerks in the grade of Rs. 70-5-95 and one typist in the grade 25-5/2-65 are therefore considered necessary. The services of the overseer are required for scrutiny of the plans and estimates of village water supply works and the tracer for taking the blue prints and Tracing work in the Divisional Office. It is, therefore, requested that Government may kindly be moved to accord sanction to the continuance of the Temporary Establishment for the Divisional Office, Belgaum Division for a further period of one year upto 28th February 1948.
11	One Typist Clerk	25-5/2-65		
12	One Overseer.	25-2-55-3-70		
13	One Computor.	- Do -		
14	Two Peons.	Rs. 14/- P.M. each.		

No.G-116.

Public Works Department,
Belgaum, 18th January 1948

Forwarded, with compliments,(in duplicate) to the Secretary to Government, Public Works Department, Bombay, with reference to Government Letters Nos. 8737/36-E(I), and 8737/36-E(II), dated the 14th August 1947 and 21st October 1947 respectively.

2. Provision for the Temporary Establishment sanctioned for the Belgaum Village Water Supply Sub-Division has been made in the New Items Statement of expenditure under the Major Head "[illegible] Post War Reconstruction and Development Programme for the year 1948-49 submitted to Government under this office letter No.G-19/S.C., dated the 23rd October 1947. Provision for the temporary establishment sanctioned / required for the Divisional Office, Belgaum has been made in the New Items Statement of expenditure for establishment under the Major Head "[illegible] Works Provisional (Ordinary) submitted to Government under this office letter No.G-19, dated the 29th September 1947 as required by para 8 of the Government Letter dated the 14th August 1947.

3. The Sub-Division together with the Temporary Establishment thereof and that for the Divisional Office, Belgaum will be continued beyond 29th February 1948 in anticipation of sanction in case Government orders in the matter are not received in time.

Sd/- N. C. Bulsara
Superintending Engineer, S.C.

Statement showing the full details of justification for the continuance of the Temporary Establishment sanctioned for the Belgaum Division during the year 1948-49 as required by G.C.M. (P.W.D.) No.~~12~~ P.190, dated the 7th January 1948

***

S.No.	Name and Designation of the Posts	Sanctioned pay scales.	No. and date of latest Government orders sanctioning the posts.	Full justification for the continuance of the posts and the periods which they are required.
	For Belgaum Village Water Supply Sub-Division			This Sub-Division has to deal with in all 157 well work in the 3 Talukas and 1 Mahal. The preparation of plans and estimates of 55 wells has so far been completed. Of these about 43 estimates have been administratively approved. The well works will be in progress during the year 1948-49. In addition to this the Rural Development Board has suggested 45 new wells for investigation and construction during the next financial year. Thus there will be in all about 100 well works in progress, next year. Since Government have given top most priority for well works in the Post War Schemes, it is considered essential that the Sub-Division together with the Temporary Establishment therefore should be be continued at least for a further period of 2 to 3 years more. It is, therefore, requested that Government may kindly be moved to accord sanction to the continuance of the Sub-Division together with the Temporary Establishment therefor for a further period of one year upto 28th February 1949.
1	Deputy Engineer.	B.S.E.,Class II	Government (P.W.D.) Letter No.8737/36-E(I), dated the 14th August 1947.	
2	Six Overseers.	70-5-110-10-180-10-250		
3	One Clerk.	7-5-95		
4	Two Clerks.	25-5/2-65		
5	Six Khalasis	Rs. 14/- P.M. each		
6	Three peons.	Rs. 14/- P.M. each		
7	Five Maistries	Rs.30-2-50-5/2-70.		
8	Ten Karkuns.	Rs.20-2/2-40		
	For Divisional Office, Belgaum			As regards the continuance of the Temporary Establishment sanctioned for the Divisional Office, Belgaum Division, it is, brought to the notice of Government that there is general increase in work both in the correspondence as well as in the accounts branch due to conversion of workcharged posts into permanent and temporary : temporary into permanent ones and hence the existing staff is not in a position to cope up with the
9	One Overseer.	70-5-110-10-180-10-250.		

10	Two Clerks	70-5-95	Government P.W.D., Letter No. 8737/36-E (II), dated the 31st October 1947.	additional extra work involved on account of village water supply works. The services of two clerks in the grade of Rs. 70-5-95 and one typist in the grade 25-5/2-65 are therefore considered necessary. The services of the overseer are required for scrutiny of the plans and estimates of village water supply works and the tracer for taking the blue prints and Tracing work in the Divisional Office. It is, therefore, requested that Government may kindly be moved to accord sanction to the continuance of the Temporary Establishment for the Divisional Office, Belgaum Divisiom for a further period of one year upto 28 February 1948.
11	One Typist Clerk	25-5/2-65		
12	One Tracer.	25-2-55-3-70		
13	One Computor.	- Do -		
14	Two Peons.	Rs. 14/- P.M. each.		

No.G-116.

Public Works Department,
Belgaum, 28th January 1948.

Forwarded, with compliments, (in duplicate) to the Secretary to Government, Public Works Department, Bombay, with reference o Government Letters Nos. 8737/36-E(I), and 8737/36-E(II), dated the 14th August 1947 and 31st October 1947 respectively.

2. Provision for the Temporary Establishment sanctioned for the Belgaum Village Water Supply Sub-Division has been made in the New Items Statement of expenditure under the Major Head " 39- Public Health - F- Post War Reconstruction and Development Programme for the year 1948-49 submitted to Government under this office letter No.G-19/S.C., dated the 23rd October 1947. Provision for the temporary establishment sanctioned + required for the Divisional Office, Belgaum has been made in the New Items Statement of expenditure for establishment under the Major Head " 50 Civil Works Provincial (Ordinary) submitted to Government under this office letter No.G-19, dated the 29th September 1947 as required by para 6 of the Government Letter dated the 14th August 1947.

3. The Sub-Division together with the Temporary Establishment therefor and that for the Divisional Office, Belgaum will be continued beyond 29th February 1948 in anticipation of sanction in case Government orders in the matter are not received in time.

V.C. Bilgara
Superintending Engineer, S.C.

8737/36
5237

E. B. (I) P. W. D.

In g. l. No. 8737/36-E(1), pp. 25-27 dated the 14-8-47, the Emergency Irrigation Sub. Dn. was converted into a Village Water Supply Sub-Dn., with effect from the 1st Oct. 1947, upto the 29-2-48. The S. E., S. C., now for p. 64 the reasons stated by him requests that the sub-dn., together with the estabt. sanctioned thereof, may be continued for a further period of one year ending the 28-2-49. It is for orders whether the S. E.'s △ request may be granted in a. o. consultation with the F. D.

* with ref. to the dnl office
△ with ref. to para 2 of the statement

9/2/48

Sen 4/2

F. D.

g. A. C.
4-2-48.

Thro' E. B. II & A. B. II.

2. The S. E.'s proposals for the continuance pp 64-65 up to the 28.2.49 of the additional temply. staff sanctioned for the Divisional Office, pp 25+57 Belgaum, may also, for the reasons explained by him, be accepted. pp 64-65

Ln Ir/Sen/Secy 5/2/48

Ln 5.2.48.

The SESC's proposals may be accepted. 9/2/48

FINANCE DEPARTMENT
File No: P W R - I
Date 10-11-2-48
Serial No.

D S

Secy (I)

Secy (P)

Secy (R&B)

9-2-48.

9/2

No. [illegible] FD. dated the 11 - 2 - 48

10/2 Ln 8

F.D.(B W & I)

Submitted with reference to
his office notes at p 11-13 and
at p 23.7-47 and
at p 23.9.47)

The S.E.,S.C.'s proposal at p.64-65
to continue
the Village Water Supply Sub.Dn. Belgaum,
together with the addl. temply staff
sanctioned for the Divisional Office, upto
28.2.48 may be agreed to.

13.2.48

DS.(F&W)

U.O.R (F&W) dt. 16.2.48

16/2

Secy
U.O.
EB IV(1)(P.W.D.)

16/2/48

F.B.(I)

P.W.D.

The F.D. having agreed
the necessary draft is
put up, which may issue,
if approved, after submission
to E.B. II & A.B. II.

A.C.
1.2.48.

P. W. D.
File No. 8737/34
Serial No. 7836

20/2/48.

20/2/48

21/2/48

D.S.

Secy.(SR+B)

Secy.(F&B)

H.M.P.W.D.

H.M.P.W.D. 23/2/48.

25/2

According to D.S.
25/2/48

Letter.

P. W. Deptt.

No. 8737/36-E(I). B. C., 14 February 1948.
26

To

The Superintending Engineer,
Southern Circle.

Subject:- Continuance of the Village Water Supply Sub Dn. Belgaum.

---

ff. 65

Reference:- Your endt. No. G.116/2, dated the 28-1-1948.

2. The Village Water Supply Sub-Dn., Belgaum, sanctioned in G.L. No. 8737/36-E(I), ff. 23-24 dated the 14-8-1947, is continued for a further period ending the 28-2-1949, together with the estabt. sanctioned for therefor.

3. The estabt. sanctioned for the Dnl. office, Belgaum, in the G.L. quoted above and in para 3 of G.L. No. 8737/36-E(II), dated the 31-10-1947, is also be continued for a further period of one year ending the 28th February 1949.

By order etc.

D.A.-Nil

Copy forwarded to:-

the F.D., the H.H.L.G. Dept.
the A.G., Bombay (thro' the F.D.),
the Ex. Engr., Belgaum Dn.,

for information.

KCJ.
18-2-48.

A.B. (II) to see return

file.

A.D.O.

27/7/48.

EXPRESS LETTER.

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government,
Public Works Department,
B O M B A Y.

No.G-108. Public Works Department,
Belgaum, 11th February 1948.

Subject :- Personal Assistant to the Executive Engineer, Belgaum Division.

Reference :- Para 2 of this office letter No.G-116 dated 16th October 1947.

The Belgaum Division has at present five Sub-Divisions and with the opening of Special Project Sub-Division sanctioned in para 2 of G.R. No.8974/36, dated 19th December 1947, there will be six Sub-Divisions in this Division.

A attached to Re-attached-sheet-

2. Due to the heavy programme of Post War Road Works and Village Water Supply Schemes in addition to ordinary works of roads, buildings etc., in the Division, the work both Office and out-door has enormously increased and is increasing day by day. Due to these activities the Executive Engineer is not able to devote sufficient attention to office routine work with the result that the work is accumulating and is likely to fall in arrears. The necessity of a Personal Assistant to the Executive Engineer is, therefore, keenly felt for efficient and prompt disposal of both technical and non-technical work in Office.

3. Appointment of a Personal Assistant to the Executive Engineer is accordingly considered quite necessary as already recommended and may kindly be sanctioned very early.

N. C. Bulsara.

SDK. Superintending Engineer, S.C.

8737/36
7513

P. W. D.

E.B.(I).

The S.E.,S.C., f.71 states that the Belgaum Dn. has at present five sub-dns., and with the opening of Special Project Sub-Dn., sanctioned in para.2 of the G.R.No.8974/36, dated the 19th December 1947, ~~thus~~ there will be six sub-divisions in the Belgaum Dn. The work f.71 both in the office and out-door has enormously increased for the reasons stated f.71 by the S.E. in para.2 of his letter, and the Ex.Engr. finds it increasingly difficult to deal with it. The S.E. therefore requests that a P.A. may be sanctioned for the Ex.Engr., Belgaum Division.

*attached to the check-sheet.

2. In this connection it may be stated that the S.E. had made this proposal for the first time in his letter No.G-108, dated f.2 the 3rd June 1947. At that time his request was not granted in view of para.1 ff.8-9 of the late D.S's note dated the 20th June 1947. The S.E. thereupon again asked for a P.A. in para.2 ff.53-54 of his letter No.G.116, dated the 16th October 1947. But the proposal was dropped again f.55 in view of para.3 f.48 of the late D.S's note dated the 12th September 1947.

3. The S.E.,S.C., f.65 in his endt. No.G-116/2, dated the 28th January 1948, had asked for the continuance of the Village Water Supply Sub-Dn., Belgaum, and the continuance of the additional establishment sanctioned for the Dnl. office Belgaum. This request has been f.69 granted; so the post of an overseer sanctioned for the Divisional office is also continued.

3. In view of the above, f.71 it is for orders whether the Superintending Engineer's request that a P.A. may be sanctioned for the Executive Engineer, Belgaum Division, may be granted, or whether the proposal may be dropped as previously. If the proposal is to be accepted then the papers will be referred u.o. to the Finance Department.

✓ G.N.C. 6-3-48.

VA/6/3/48. D.C.

I find that at present P.As are given to the following Dnal offices — Presidency, Poona Water Works, Electrical, Nira Canals, Ahmednagar, Dharwar & Ratnagiri. I do not think that Belgaum can compare in work &

8737/36

management with any of the above Dys. The request will have to be negatived; otherwise any Dy which is today as heavy/ as Belgaum wd be trotting out a case for a PA

DDS 8/3/48

Secy(C)

10/3/48

Secy(RtB)

10/3

Minister C
10/3/48

E.B.(I)

P.W.D.

Resubmitted with a draft for approval.

G.A.C.
13.3.48.

DDS 13/3/48

D. S.

Letter.

No. 8737/36-E(1). P. W. D.

B.C., 15th March 1948.

To,
The S.E., S.C.

Subject: P.A. to the Ex. Engr., Belgaum Dn. p. 71

Reference: Your letter No. J-108, dated the 11th Feb. 1948.

2. Your request that a P.A. may be sanctioned for the Ex. Engr., Belgaum Dn., cannot, it is regretted, be granted.

By order etc.

D. A. Nagf.
S.A.C.
13-3-48.

ISSUED
on 16/3/48

Twin to BL

SOUTHERN CIRCLE.

Statement showing the full details of justification for the continuance of the Temporary Establishment for the Belgaum Village Water Supply Sub-Division during the year 1949-50 as required by G.C.M.(P.W.D.) No. P-190, dated the 7th January 1947 and 23rd February 1948.

S. No.	Name and Designation of the posts.	Sanctioned payscales.	Nol and date of the latest Government orders Sanctioning the posts.	Full justification for the continuance of the posts and the periods for which they are required.
1	2	3	4	5
	Belgaum Village Water Supply Sub-Division.	Rs.		This Sub-Division has to tackle with the construction of 161 wells in the three talukas and one Mahal of the Belgaum District. Of these 39 wells are under construction and 40 wells will be taken up for construction shortly. In all nearly 80 works would be under execution during the next financial year. In addition to these works, about 80 well works would be undertaken during the next year. Thus there will be in all 160 wells under construction during the next year. Government have given top most priority for these well works in the Post War Schemes, it is cosidered necessary that the Sub-Division together with the temporary establishment therefor should be continued at least for a further period of 2 to 3 years more. It is, therefore, requested that Government may kindly be moved to continue the Sub-Division for a further period of one year more in the first instance i.e.upto 28th February 1950. As regards the continuance of the Temporary Establishment sanctioned for the Divisional Office, Belgaum, it is brought to the notice of Government that there has been general increase in work due to conversion of temporary and work-charged establishment into permanent and temporary ones and hence the existing staff is not in a position to cope up with
1.	One Deputy Engineer	B.S.E.Class II.	G.L.(P.W.D.) No.8737/36-E (I), dated the 26th February 1948.	
2.	Six overseers.	80-5-100-E-B-10-220-E.B.10-270.		
3.	One Clerk.	92-8-140.		
4.	Two Clerks.	46-3-85-E.B.4-105.		
5.	Six Khalases.	30-½-35.		
6.	Three pwons.	-do-		
7.	Five Maistries.	55-3-85-4-105.		
8.	Ten Karkuns.	46-3-85.		
	For Divisional Office Belgaum.			

9.	One overseer	80-5-100-E.B.10-220-E.B.10-270.		the extra work incolved on account of village water supply works. Hence necessity of the temporary staff is keenly felt and it is, therefore, requested that sanction to the continuance of the temporary establishment of the Divisional Office may also be accorded.
10.	Two clerks.	92-8-140.		
11	One Typist clerk.	46-3-85-E.B.4-105.		
12	One Tracer.	-do-		
13.	One Computor.	-do-		
14	Two peons.	30-½-35.		

According to the orders contained in Government letter No.8737/36-E(I), dated the 14th August 1947, the pays of the maistries and karkuns are to be debitable to the works concerned but the expenditure of pays and allowances cannot be met from the provision of 4% made in the estimate for establishment. It is therefore, requested that the posts of 5 Maistries and 10 karkuns may kindly be sanctioned on the temporary establishment.

No.G-116/Mis./1

Public Works Department,
Belgaum, 30th November 1948.

Forwarded, with compliments, (in duplicate) to the Secretary to Government, Public Works Department, Bombay, with reference to Government Letter No. 8737/36-E(I), dated the 26th February 1948.

2. Provision for all the establishment except for the posts of maistries and Karkuns has been made in the Dwaft Budget Estimates Part II-A under the major head '50-Civil Works- Provincial (Ordinary) for the year 1949-50 submitted to Government under this office letter No. G-19/S.C./1, dated the 24th October 1948. The extra funds required for the Maistries and Karkuns proposed to be brought on the temporary establishment and if sanctioned will be applied for in January 1951 if necessary.

3. The Sub-Division together with the temporary establishment therefor and that for the Divisional office, Belgaum will be continued from 1st March 1949 in anticipation of sanction in case Government orders to the continuance are not received by then.

SD/- N.G.K.Murti.

Superintending Engineer, S.C.

NBS

Statement showing the full details of justification for the continuance of the Temporary Establishment for the Belgaum Village Water Supply Sub-Division during the year 1949-50 as required by G.C.M.(P.W.D.) No. P-190, dated the 7th January 1947 and 23rd February 1948.

S. No.	Name and Designation of the posts.	Sanctioned payscales.	No. and date of the latest Government orders Sanctioning the posts.	Full justification for the continuance of the posts and the periods for which they are required.
1	2	3	4	5
	<u>Belgaum Village Water Supply Sub-Division.</u>	Rs.		This Sub-Division has to tackle with the construction of 161 wells in the three talukas and one Mahal of the Belgaum District. Of these 39 wells are under construction and 40 wells will be taken up for construction shortly. In all nearly 80 works would be under execution during the next financial year. In addition to these works, about 80 well works would be undertaken during the next year. Thus there will be in all 160 wells under construction during the next year. Government have given <u>top most</u> priority for these well works in the Post War Schemes, it is cosidered necessary that the Sub-Division together with the temporary establishment therefor should be continued at least for a further period of 2 to 3 years more. It is, therefore, requested that Government may kindly be moved to continue the Sub-Division for a further period of one year more in the first instance i.e.upto 28th February 1950.
1.	One Deputy Engineer	B.S.E.Class II.	G.L.(P.W.D.) No.8737/36-E (I), dated the 26th February 1948.	
2.	Six overseers.	80-5-100-E-B-10-220-E.B.10-270.		
3.	One Clerk.	92-8-140.		
4.	Two Clerks.	46-3-85-E.B.4-105.		
5.	Six Khalases.	30-½-35.		
6.	Three peons.	-do-		
7.	Five Maistries.	55-3-85-4-105.		
8.	Ten Karkuns.	46-3-85.		
	<u>For Divisional Office Belgaum.</u>			As regards the continuance of the Tempor..y Establishmen sanctioned for the Divisional Office, Belgaum, it is brought to the notice of Government that there has been general increase in work due to conversion of temporary and work-charged establishment into permanent and temporary ones and hence the existing staff is not in a position to cope up with

9.	One overseer ✓	80-5-100-E.B.10-220-E.B.10-270.		the extra work incolved on account of village water supply works. Hence necessity of the temporary staff is keenly felt and it is, therefore, requested that sanction to the continuance of the temporary establishment of the Divisional Office may also be accorded.
10.	Two clerks. ✓	92-8-140.		
11.	One Typist clerk. ✓	46-3-85-E.B.4-105.		
12.	One Tracer. ✓	-do-	p 25	According to the orders contained in Government letter No.8737/36-E(I), dated the 14th August 1947, the pays of the maistries and karkuns are to be debitable to the works concerned but the expenditure of pays and allowances cannot be met from the provision of 4% made in the estimate for establishment. It is therefore, requested that the posts of 5 Maistries and 10 karkuns may kindly be sanctioned on the temporary establishment.
13.	One Computor. ✓	-do-		
14.	Two peons. ✓	30-½-35.		

A

No.G-116/Mis./1

CV Public Works Department,
Belgaum, 30th November 1948.

Forwarded, with compliments, (in duplicate) to the Secretary to Government, Public Works Department, Bombay, with reference to Government Letter No. 8737/36-E(I), dated the 26th February 1948. p. 69

2. Provision for all the establishment except for the posts of maistries and Karkuns has been made in the Draft Budget Estimates Part II-A under the major head '50-Civil Works- Provincial (Ordinary) for the year 1949-50 submitted to Government under this office letter No. G-19/S.C./1, dated the 24th October 1948. The extra funds required for the Maistries and Karkuns proposed to be brought on the temporary establishment and if sanctioned will be applied for in January 1950 if necessary.

3. The Sub-Division together with the temporary establishment therefor and that for the Divisional office, Belgaum will be continued from 1st March 1949 in anticipation sanction in case Government orders to the continuance are not received by then.

30/11/48

NBS

Superintending Engineer, S.C.

SOUTHERN CIRCLE.

Statement showing the full details of justification for the continuance of the Temporary Establishment for the Belgaum Village Water Supply Sub-Division during the year 1949-50 as required by G.C.M.(P.W.D.) No. P-190, dated the 7th January 1947 and 23rd February 1948.

S. No.	Name and Designation of the posts.	Sanctioned payscales.	No. and date of the latest Government orders Sanctioning the posts.	Full justification for the continuance of the posts and the periods for which they are required.
1	2	3	4	5
	Belgaum Village Water Supply Sub-Division.	Rs.		This Sub-Division has to tackle with the construction of 161 wells in the three talukas and one Mahal of the Belgaum District. Of these 39 wells are under construction and 40 wells will be taken up for construction shortly. In all nearly 80 works would be under execution during the next financial year. In addition to these works, about 80 well works would be undertaken during the next year. Thus there will be in all 160 wells under construction during the next year. Government have given top most priority for these well works in the Post War Schemes, it is cosidered necessary that the Sub-Division together with the temporary establishment therefor should be continued at least for a further period of 2 to 3 years more. It is, therefore, requested that Government may kindly be moved to continue the Sub-Division for a further period of one year more in the first instance i.e.upto 28th February 1950.
1.	One Deputy Engineer	B.S.E.Class II.	G.L.(P.W.D.) No.8737/36-E (I), dated the 26th February 1948. P69	
2.	Six overseers.	80-5-100-E-B-10-220-E.B.10-270.		
3.	One Clerk.	92-8-140.		
4.	Two Clerks.	46-3-85-E.B.4-105.		
5.	Six Khalases.	30-½-35.		
6.	Three peons.	-do-		
7.	Five Maistries.	55-3-85-4-105.		
8.	Ten Karkuns.	46-3-85.		
	For Divisional Office Belgaum.			As regards the continuance of the Temporary Establishment sanctioned for the Divisional Office, Belgaum, it is brought to the notice of Government that there has been general increase in work due to conversion of temporary and work-charged establishment into permanent and temporary ones and hence the existing staff is not in a position to cope up with

8737/36
68019

E.B.(I). P.W.D.

The S.E., S.C. for the reasons stated by him in his reference under disposal requests that the V.W.S. Sub-Dn., Belgaum, together with its estabt. and the addl. tempy. estabt. sanctioned for the office of the Ex. Engr., Belgaum Dn., as detailed in the statt. within may be continued up to the 28-2-50.

2. The Sub Dn. & the estabt. in question were first sanctioned in 1947 upto the 28-2-48 and have been continued up to the 28-2-49-vide G.L.No.8737/36-E(I)& EB(II), dated the 14-8-47 and the 31-10-47, respectively, and G.L.No.8737/36 E(I), dated the 26-2-48. The Sub Dn. is sanctioned for the ~~execution~~ execution of V.W.S. well works in the Belgaum Dn. and the addl. estabt. for the Dnl. office was sanctioned on account of the general all round increase in the Dnl. office due to post war schemes, ~~security~~ Security and V.W.S. works and convesion of the work-cnarged and tempy. posts into tempy./permanent ones

3. It is for consideration whether the Sub.Dn. and the estabt. reid. to above may be continued further up to the 28-2-50 in consultation with the F.D.

Thro. E.B.(II) + V.W.S. Br.

LBW
22/12/48

Scy. to Secy (I) Yes. This may be continued

Scy to Secy (EB)

U.O.R. to the F.D. dated the 24-12-48

P.W.R.I
24/12

In the circumstances stated by S.E. S.C., the proposal to continue the V.W.S. Sub. Dn. Belgaum together with its establishment and the addl: temy. estab. in the offices of the Ex. Engrs. Belgaum Dn. upto 28.2.50 seems reasonable and may be agreed to.

+ ₹ 23,24,000 recd.
✓ ₹ 23 24 000
and ₹ 57 000/-

Dy C
Ds (F&C)

2. The temporary establishment was originally sanctioned in Jany 1947 & and it is being continued on temporary basis from year to year. The necessary provision has already been included by the P.W.D. in the next year's budget under 50.CW; as the temporary staff is likely to be continued during the next year.

17-1-49.

DS (F&C)

U.O.R. of P.W.D. dt .....

EI 21/1

Dr

D. 8737/36.
E. 4385

EBJ
20-1-49

8737/36/4385

EB(I). P. W. D.

Submitted with reference to this Deptt. u.o.r dated the 24-12-48. p 85

2. Office note dated the 22.12.48 contains the facts of the case. The F.D. has agreed to this Deptt. proposal to continue further for a period of one year ending the 28-2-50 the V.W.S. Sub-dn at Belgaum with its estabt. and the addl. tempy. estabt. sanctioned for the office of the Ex. Eng., Belgaum Division. The draft put up for approval may, therefore, issue after submitting the papers to the H.M.P.W.D

Thro.' E.B.(II).

8737/36/4385.

Letter.

No.8737/36-E(I). P.W.D

B.C., 24 ~~Jany.~~ Feb. 49.

To

The S.E., S.C.

Sub: Continuance of the V.W.S. Sub-Dn., Belgaum.

Ref: Your endorsement No. G.116/Mis/1, dated the 30-11-48. p 83

2. The Village Water Supply Sub-dn., at Belgaum, p 82-83 with its establishment and the additional temporary establishment for the office of the Ex.Engr., Belgaum Dn., sanctioned in Government letters No.8737/36-E(I), dated the 14-8-47, and No.8737/36-E(II), dated the ~~dated~~ 31.10.47, should be continued further up to the 28.2.50. p. 23 p. 57

By order of the G. of B.

D.A.Nil.

Copy forwarded to -

the F.D.,
the H. & L.G.D.,
the A.G., Bombay (thro'. the F.D),
the Ex. Engr., Belgaum Dn.,

for information with reference to Govt. Endt.No.8737/36-E(I), dated the 26.2.48. p 69

M.N/25.1

26/2/49.

Seey.(R&B).

Pw. J. 21-2-49

As urgent post with 38 spare copies. 2/2/49

Letter.

No. 8737/36-E(I). Public Works Department.
Bombay Castle, 2nd February 1949

To

The Superintending Engineer, Southern Circle.

Subject:- Continuance of the Village Water Supply Sub-Division, Belgaum.

Reference:- Your endorsement No.3.116/Mis/I, dated the 30th November 1948.

2. The Village Water Supply Sub-Division at Belgaum, with its establishment and the additional temporary establishment for the office of the Executive Engineer, Belgaum Division, sanctioned in Government Letters No.8737/36-E(I), dated the 14th August 1947, and No. 8737/36-E(II), dated the 31st October 1947, should be continued further up to the 28th February ~~1948~~ 1950.

By order of the Governor of Bombay,

Secretary to the Government of Bombay,
D.A. Mil. Public Works Department.

Copy forwarded to -

the Finance Department,
the Health and Local Government Department,
the Accountant General, Bombay (through the Finance Department),
the Executive Engineer, Belgaum Division,

for information with reference to Government Endorsement No. 8737/36-E(I), dated the 26th February 1948.

Orders issued after consultation with the Finance Department.
Notes remain with this Department and to be seen when required.

ISSUED on 2/2/49

YCJ/2-2-49.

2/2/49

P.T.O.

A-B3 III

Retain copy for
service please.

Copy future
Dec
12 mf

FEB (D

File
5/2/09



	For Divisional Office.			
9	One Overseer	80-5-100-E.B.-10-220-E.B.-10-270		As regards continuance of the Temporary Establishment for the Divisional Office, it is brought to the notice of Government that there has been a general increase in the work of the Divisional Office due to innumerable calls from Government and officers of other Departments th-e existing staff cannot cope with the increased work. Due to the additional V.W.S. well works the help of the staff provided herein is necessary and Government may kindly be moved to accord sanction for continuance of the Establishment for a period of one year more i.e. upto 28th February, 1951.
10	Two clerks	92-8-140		
11	One Typist clerk	46-3-85-E.B.-4-105		
12	One tracer	- do -		
13	One computor	- do -		
14	Two peons	30-1/2-35		According to the orders contained in Government Letter No.8737/36.E(I), dated 14-8-1947, the pays & allowances of the Maistries and Karkuns are required to be debited to the works concerned. As the expenditure on account of pays and allowance of the above cannot be met from the provision of 4% for Establishment made in the sanctioned estimates for the works, it is requested that the temporary posts of 5 maistries and ten Karkuns may kindly be sanctioned on Temporary Establishment.

No.G-116/Mis.

Public Works Department,
Belgaum: 24th November, 1949.

Forwarded, in duplicate, with compliments, to the Secretary to Government, Public Works Department, Bombay, with reference to Government Letter Number quoted in column 4 above.

2. Provision for all the Establishment except for the posts of Maistries and Karkuns has been made in the Draft Budget estimate Part II-A under the major head 50 Civil Works Provincial for the 1950-51 submitted to Government under this office No.G-19/S.C., dated 30-10-1949.

3. The temporary Sub-Division together with its Establishment will be continued beyond 28-2-1950 in anticipation of Government sanction in case Government orders to the contrary are not received in time.

7 S S Deo

Superintending Engineer, S. C.,
B E L G A U M.

G.R.M.

=o=o=c

	For Divisional Office.			
9	One Overseer	80-5-100-E.B.-10-220-E.B.-10-270		As regards continuance of the Temporary Establishment for the Divisional Office, it is brought to the notice of Government that there has been a general increase in the work of the Divisional Office due to innumerable calls from Government and officers of other Departments th-e existing staff cannot cope with the increased work. Due to the additional V.W.S. well works the help of the staff provided herein is necessary and Government may kindly be moved to accord sanction for continuance of the Establishment for a period of one year more i.e. upto 28th February, 1951.
10	Two clerks	92-8-140		
11	One Typist clerk	46-3-85-E.B.-4-105	- do -	
12	One tracer	- do -		
13	One computor	- do -		
14	Two peons	30-1/2-35		
				According to the orders contained in Government Letter No.8737/36.E(I), dated 14-8-1947, the pays & allowances of the Maistries and Karkuns are required to be debited to the works concerned. As the expenditure on account of pays and allowance of the above cannot be met from the provision of 4% for Establishment made in the sanctioned estimates for the works, it is requested that the temporary posts of 5 maistries and ten Karkuns may kindly be sanctioned on Temporary Establishment.

No.G-116/Mis.

Public Works Department,
Belgaum: 24th November, 1949.

Forwarded, in duplicate, with compliments, to the Secretary to Government, Public Works Department, Bombay, with reference to Government Letter Number quoted in column 4 above.

2. Provision for all the Establishment except for the posts of Maistries and Karkuns has been made in the Draft Budget estimate Part II-A under the major head '50 Civil Works Provincial for the 1950-51 submitted to Government under this office No.G-19/S.C., dated 30-10-1949.

3.....

3. The temporary Sub-Division together with its Establishment will be continued beyond 28-2-1950 in anticipation of Government sanction in case Government orders to the contrary are not received in time.

Superintending Engineer, S. C.,
B E L G A U M.

G.R.M.

=o=o=o=o=



8737/36
81211

E B (VII) P.W.D.

Submitted, with reference to G.L. No 8737/36 E (1) dated 2nd Feb. 1949 and the notes underlying it-

2 For the reasons given in para 91 of S.C, request that the Belgaum P.W.S. Sub-division together with the establ and the additional temp establ sanctioned for the office of the Ex Engr, Belgaum Dn as detailed in the Statement in para 95-97 of S.C, may be continued upto the 28-2-51. The SE states that as the pays of 5 Maistries and ten Karkuns cannot be met from the provision of 4% for establ made in the sanctioned estimates for the works, the posts in question may be sanctioned on the temp establ. It is for orders whether the Sub-division together with the establ for the Sub-division and the addl establ for the office of the Ex. Engr. Belgaum Dn, may be continued upto the 28-2-51 and the posts of

0737/36.
8.12.11

five Draisines and ten Harkuns may be sanctioned on the temp. estabt till that date after which

to the F.D.

(Sd.) K.B.(II), K.B.(III) & A.B.(III)

27-12-49.

Dated
27/12/49.

A.B.(III)

The consolidated demand for temp. estabt. for 1950-51 communicated to the F.D. has been drastically cut by that Deptt. The question of putting up a new item for increasing the reduced amount is under consideration separately.

28/12/49.

X By a cut of Rs 33 lakhs

The Subdn together with the sanctioned & the addl est. for the Dead office establishment for the same may be continued upto 28/2/51

The suggestion that the Draisines and Harkuns should be brought on the temp. est cannot be agreed to. If these pay etc cannot be met from the provision for establishment in the sanctioned estimates, the S.E. may reduce the no of the est suitably

Kyd 28/12

Issued to the F.D. vide No. dt 29 dec 1949

Punjab
29/12/49

Finance Department.PWR.I.

The proposal made by the P.W.D. may be agreed to subject to the following remarks.

2. It should be made clear in the orders to be issued that the continuance of the staff proposed is subject to the provision made therefor being finally retained in the budget.

9-1-50

10-1-50

12/1/50

D.S.(F&R) u.o.r. to P.W.D. dt. 13-1-50.



8737/36
3413

P.W.D

EB (III).

Submitted with Ref. to this Deptt's U.O.Y., dated the 29th Dec. 1949. p 102.

2. The F.D. has --- agreed p.103 to this Deptt's proposal p101 to continue further, for a period of one year, ending the 28-2-1951, the Belgaum V.W.S. Sub-on., together with the estabt. p.23 and the additional tempy. estabt. p.57 sanctioned for the Office of the Ex. Engr. Belgaum Sn., on the condition that the continuance of the staff proposed is subject to the provision made therefor being finally retained in the budget.

3 The necessary draft is put up for approval.

Thro. EB (I), (II) and AB (III).

6-2-50. 6/2/50

6-2-50

BVB 6/2/50

Dy. Secy

KJ 7/2/50

Secy.

(K N C E W D).

8737/36/3413

No 8737/36-E(III) P. W. D
B.C. (B'bay No.1) 9th Feb. 50.

To

The S.E., S.C.,

Sub:- Continuance of the V.W.S. Sub Dn., Belgaum.

Ref:- your endt. No. G.116/Mis, dated the 29th Nov. 1949. P.99.

2. The Village Water Supply Sub-Dn. at Belgaum, with its estabt. (P.98.99) and the additional tempy. estabt. for the Office of the Ex. Engr., Belgaum Dn., sanctioned in G.Ls, No. 8737/36-E(I), dated the 14-8-1947 (P.29) and No. 8737/36-E(II) (P.57), dated the 31-10-1947, should be continued upto the 28-2-~~1950~~ 1951, subject to the provision made therefor being finally retained in the budget.

DA: NIL

3) Your proposal to append 5 resolutions to Tempy estt cannot be agreed to. By order etc.

Copy forwarded to —

The F.D.,
The A.G. B'bay (thro. the F.D.),
The C.E., P.W.D.,
The L.S.G & P.H. Deptt.,
The Ex. Engr. Belgaum Dn.,

for information.

NVB
6/2/1950.

H 2/2

W.D.

21

S/I. Secy.

LRKP (2 observations) or
4/2

Revise draft & resubmit with reference to my observations 7/2

Letter.

No. 8737/36-E(III).

Public Works Department,
Bombay Castle (Bombay No.1),
9th February 1950.

To

The Superintending Engineer, Southern Circle.

Subject:- Continuance of the Village Water Supply Sub-Division, Belgaum.

...

Reference: Your endorsement No.G.116/Mis, dated the 29th November 1949.

2. The Village Water Supply Sub-Division at Belgaum with its establishment and the additional temporary establishment for the office of the Executive Engineer, Belgaum Division, sanctioned in Government Letters No.8737/36-E(I), dated the 14th August 1947 and No.8737/36-E(II), dated the 31st October 1947, should be continued upto the 28th February 1951, subject to the provision made therefor being finally retained in the budget.

3. Your proposal to appoint 5 Maistries and 10 Karkuns on temporary establishment cannot be agreed to.

By order of the Governor of Bombay,

10/2/50. O/C

for Secretary to the Government of Bombay,
Public Works Department.

D.A.-Nil.

Copy forwarded to -

the Finance Department,
the Accountant General, Bombay (through the Finance Department),
the Chief Engineer, Public Works Department,
the Local Self Government and Public Health Department,
the Executive Engineer, Belgaum Division,

for information.

Orders issued after consultation with Finance Department
Notes recorded with this Department and to be seen when required.

12
RKP
9-2-50.

11/2/50 AS.

M. N. to make pe. Noted file
Copy for A.N. III

File